

# **MOTHS AT LANDGUARD POINT, SUFFOLK**

## **1994**

In 1991 and 1992 a small, battery operated Heath trap was run.

In 1993 and 1994, as a result of on site electricity, a Robinson Trap was operated. This trap was kindly supplied by the Suffolk Naturalists Society.

The trap was run on one night in March, six nights in early April and nightly from 19<sup>th</sup> April to 17<sup>th</sup> November, and on one night in December.

Dates referred to are for the mornings on which the trap was emptied. Identification was carried out by myself and Mike Marsh with assistance from Mike Hall and Gerry Haggart for a couple of specimens in order to confirm identification. Genitalia examination was not carried out on any specimens.

The classified list is intended to give some idea of flight times plus abundance and includes counts from the trap plus those found by cold searching. The number of micro's identified this year has increased again as a result of purchasing a number of reference books. Counts were not made for several species of micro's as it is extremely time consuming and was not thought to a useful exercise.

**Nigel Odin,  
Landguard Bird Observatory,  
View Point Road,  
Felixstowe,  
Suffolk,  
IP11 3TW**

**Tel: 01394 673782**

**Nomenclature and numeration are from Bradley and Fletcher (1986).**

### **15 ORANGE SWIFT**

**Noted 27<sup>th</sup> July to 7<sup>th</sup> September, max. six.**

### **17 COMMON SWIFT**

**Noted 13<sup>th</sup> May to 29<sup>th</sup> June, max. 27, 2<sup>nd</sup> June.**

### **229 *Monopsis obviella***

**Singles noted 14<sup>th</sup> to 28<sup>th</sup> June, 22<sup>nd</sup> July and two 31<sup>st</sup> July, with one late one 12<sup>th</sup> November.**

### **247 *Tinea trinotella***

**Two 14<sup>th</sup> and eight 15<sup>th</sup> June, then noted 16<sup>th</sup> July to 11<sup>th</sup> August, max. six.**

### **288 *Caloptilia stigatella***

**One 30<sup>th</sup> October.**

### **370 HORNET MOTH**

**One 29<sup>th</sup> June.**

### **385 *Anthophila fabriciana***

**Noted 17<sup>th</sup> June to 20<sup>th</sup> July and 25<sup>th</sup> to 27<sup>th</sup> September.**

### **464 DIAMOND-BACK MOTH**

**Noted 11<sup>th</sup> May to 25<sup>th</sup> September, max. 26 on 4<sup>th</sup> August. Later in November five singles noted 1<sup>st</sup> to 13<sup>th</sup>.**

### **648 WHITE-SHOULDERED HOUSE MOTH**

**Single noted 5<sup>th</sup> April.**

### **658 *Carcina quercana***

**Noted 10<sup>th</sup> July to 6<sup>th</sup> August with one later on 23<sup>rd</sup> October.**

925 *Phtheochroa rugosana*  
Noted 29<sup>th</sup> April to 12<sup>th</sup> July.

936 *Stenodes straminea*  
One 3<sup>rd</sup> July.

937 *Agapeta hamana*  
Noted 7<sup>th</sup> June to 21<sup>st</sup> August.

946 *Aethes rubigana*  
Noted 11<sup>th</sup> to 17<sup>th</sup> July.

950 *Aethes francillana*  
Noted 25<sup>th</sup> to 28<sup>th</sup> June.

956 *Cochylidia implicitana*  
Noted 16<sup>th</sup> to 23<sup>rd</sup> May and from 12<sup>th</sup> June to 11<sup>th</sup> August.

962 *Cochylis roseana*  
Noted 13<sup>th</sup> July to 6<sup>th</sup> August, max. four.

965 *Cochylis implicitana*  
One 20<sup>th</sup> August.

966 *Cochylis atricipitana*  
Noted 16<sup>th</sup> May to 22<sup>nd</sup> July and again 11<sup>th</sup> August to 24<sup>th</sup> August.

969 CHEQUERED FRUIT-TREE TORTRIX  
One 4<sup>th</sup> August.

972 DARK FRUIT-TREE TORTRIX  
Noted 25<sup>th</sup> June to 25<sup>th</sup> September.

977 LARGE FRUIT-TREE TORTRIX  
Noted 25<sup>th</sup> June to 3<sup>rd</sup> August, max. eight, and again 1<sup>st</sup> to 28<sup>th</sup> September.

985 CARNATION TORTRIX  
Singles noted 7<sup>th</sup> July to 26<sup>th</sup> July.

993 CYCLAMEN TORTRIX  
Noted 19<sup>th</sup> June and 18<sup>th</sup> July to 28<sup>th</sup> August.

999 SUMMER FRUIT TORTRIX  
Two 5<sup>th</sup> August.

1010 RED-BARRED TORTRIX  
Noted 11<sup>th</sup> July to 11<sup>th</sup> August, max. three.

1011 *Pseudagyrotoza canwagana*  
One 12<sup>th</sup> July, three 11<sup>th</sup> and one 14<sup>th</sup> August.

1016 *Cnephasia longana*  
One 21<sup>st</sup> July.

1020 GREY TORTRIX  
Noted 16<sup>th</sup> July to 5<sup>th</sup> August, max. two.

1024 LIGHT GREY TORTRIX  
Noted 26<sup>th</sup> June to 27<sup>th</sup> July.

1042 RHOMBOID TORTRIX  
One 29<sup>th</sup> July.

1048 GARDEN ROSE TORTRIX  
Noted 9<sup>th</sup> July to 17<sup>th</sup> October.

1063 *Celypha striana*  
Noted 26<sup>th</sup> June to 6<sup>th</sup> September.

1076 *Oletheutes lacunana*  
Noted 17<sup>th</sup> June to 24<sup>th</sup> July and 15<sup>th</sup> August to 6<sup>th</sup> September.

1082 PLUM TORTRIX  
One 25<sup>th</sup> July.

1098 *Endothenia oblogana*  
One 28<sup>th</sup> June.

1104 *Endothenia quadrinaculana*

One 8<sup>th</sup> August.  
1165 Zeiraphera isertana  
One 13<sup>th</sup> July.  
1174 Epiblema cynosbatella  
Noted 17<sup>th</sup> June to 4<sup>th</sup> August.  
1175 BRAMBLE SHOOT MOTH  
Noted 19<sup>th</sup> June to 26<sup>th</sup> July.  
1184 Epiblema scutulana  
Noted 7<sup>th</sup> May to 21<sup>st</sup> August.  
1197 Eucosma capoliliana  
Singles noted 13<sup>th</sup> and 21<sup>st</sup> July.  
1200 Eucosma hohenwartiana.  
Noted 28<sup>th</sup> June to 18<sup>th</sup> July, and again 21<sup>st</sup> to 31<sup>st</sup> August.  
1201 Eucosma cana  
Noted 14<sup>th</sup> June to 9<sup>th</sup> August.  
1205 BUD MOTH  
Singles noted 16<sup>th</sup> & 23<sup>rd</sup> July.  
1207 PINE LEAF-MINING MOTH  
One 7<sup>th</sup> August.  
1219 Lathronympha strigana  
Noted 1<sup>st</sup> June to 7<sup>th</sup> September.  
1236 Pammene fasciana  
Noted 16<sup>th</sup> to 22<sup>nd</sup> July.  
1260 Cydia splendana  
Noted 21<sup>st</sup> July to 9<sup>th</sup> August, max. five.  
1279 Dichrorampha acuminata  
Singles 30<sup>th</sup> August and 1<sup>st</sup> September.  
1293 Chrysoteuchia culmella  
Noted 26<sup>th</sup> June to 10<sup>th</sup> August.  
1294 Crambus pascuella  
One 8<sup>th</sup> June.  
1301 Crambus lathoniellus  
Noted 14<sup>th</sup> to 23<sup>rd</sup> June, max. three.  
1302 Crambus perlella  
Noted 15<sup>th</sup> to 22<sup>nd</sup> July.  
1303 Agriphila selasella  
One 18<sup>th</sup> July.  
1304 Agriphila straminella  
Noted 18<sup>th</sup> June 23<sup>rd</sup> July.  
1305 Agriphila tristella  
Noted 1<sup>st</sup> August to 1<sup>st</sup> September.  
1306 Agriphila inquinatella  
Noted 31<sup>st</sup> July to 29<sup>th</sup> August.  
1307 Agriphila latistria  
One 21<sup>st</sup> August.  
1309 Agriphila geniculea  
Noted 27<sup>th</sup> August to 30<sup>th</sup> September.  
1324 Pediasia aridella  
One 22<sup>nd</sup> July.  
1325 Platytes alpinella  
Singles 22<sup>nd</sup> & 31<sup>st</sup> July.  
1330 Donacaula mucronellus  
One 4<sup>th</sup> August.  
1332 Scoparia subfusca  
Noted 26<sup>th</sup> and 27<sup>th</sup> June, 11<sup>th</sup> and 23<sup>rd</sup> August.  
1333 Scoparia pyralella

Noted 13<sup>th</sup> June to 3<sup>rd</sup> July, max. five.  
1334 *Scoparia ambigualis*  
Noted 22<sup>nd</sup> August to 19<sup>th</sup> September.  
1356 GARDEN PEBBLE  
Singles 28<sup>th</sup> May, 13<sup>th</sup> June, 13<sup>th</sup>, 21<sup>st</sup> and two on 22<sup>nd</sup> August.  
1357 *Evergestis extimalis*  
Singles noted 22<sup>nd</sup> & 29<sup>th</sup> July.  
1358 *Evergestis pallidata*  
Singles 13<sup>th</sup> July and 8<sup>th</sup> August.  
1365 *Pyrausta cespitalis*  
One 7<sup>th</sup> May, then noted 9<sup>th</sup> July to 25<sup>th</sup> September.  
1375 EUROPEAN CORN-BORER  
Singles 14<sup>th</sup> 27<sup>th</sup> July and 8<sup>th</sup> August.  
1376 SMALL MAGPIE  
Noted 13<sup>th</sup> June to 30<sup>th</sup> July, max. five.  
1378 *Phlyctaenia coronata*  
Noted 28<sup>th</sup> June 31<sup>st</sup> July.  
1385 *Ebulea crocealis*  
Noted 3<sup>rd</sup> to 17<sup>th</sup> July.  
1390 *Udea prunalis*  
Noted 30<sup>th</sup> June to 23<sup>rd</sup> July, max. two.  
1392 *Udea olivalis*  
Noted 8<sup>th</sup> June to 9<sup>th</sup> July, max. two.  
1395 *Udea ferrugalis*  
Singles 6<sup>th</sup> September, 13<sup>th</sup> and 14<sup>th</sup> October and 10<sup>th</sup> November.  
1398 RUSH VENEER  
A total of 47 noted 12<sup>th</sup> August to 12<sup>th</sup> November, max. 13 22<sup>nd</sup> September.  
1405 MOTHER OF PEARL  
Noted 4<sup>th</sup> July to 13<sup>th</sup> August, max eight.  
1414 *Synaphe punctalis*  
Noted 6<sup>th</sup> July to 22<sup>nd</sup> August, max. ten.  
1424 *Endotricha flammealis*  
Noted 6<sup>th</sup> July to 9<sup>th</sup> August, max. four.  
1428 BEE MOTH  
Noted 27<sup>th</sup> June to 27<sup>th</sup> July, max. five.  
1429 *Melissoblastes zelleri*  
Noted 11<sup>th</sup> July to 6<sup>th</sup> August, max. ten.  
1452 *Phycita roborella*  
Noted 15<sup>th</sup> July to 3<sup>rd</sup> August.  
1454 *Dioryctria abietella*  
One 21<sup>st</sup> July.  
1458 THISTLE ERMINE  
Noted 6<sup>th</sup> June to 14<sup>th</sup> July, max. 36 on 29<sup>th</sup> June.  
1483 *Phycitodes binaevella*  
Noted 24<sup>th</sup> June to 19<sup>th</sup> July.  
1485 *Phycitodes maritima* (*saxicola* not eliminated)  
Noted 16<sup>th</sup> July to 22<sup>nd</sup> August.  
1513 WHITE PLUME MOTH  
Singles 27<sup>th</sup> & 29<sup>th</sup> June and 13<sup>th</sup> July.  
1637 OAK EGGAR  
One 10<sup>th</sup> July.  
1640 DRINKER  
Singles 14<sup>th</sup> & 31<sup>st</sup> July.  
1653 BUFF ARCHES  
Singles 26<sup>th</sup> & 27<sup>th</sup> July.  
1654 FIGURE OF EIGHTY

Noted 16<sup>th</sup> June to 1<sup>st</sup> July, max. two.  
1669 COMMON EMERALD  
Noted 30<sup>th</sup> June to 21<sup>st</sup> July, max. two.  
1682 BLOOD-VEIN  
One 8<sup>th</sup> June.  
1689 MULLEIN WAVE  
One 14<sup>th</sup> June then noted 3<sup>rd</sup> July, to 5<sup>th</sup> September, max. two.  
1690 SMALL BLOOD-VEIN  
Noted 4<sup>th</sup> to 21<sup>st</sup> July, max. three with one 9<sup>th</sup> September.  
1705 DWARF CREAM WAVE  
Noted 24<sup>th</sup> June to 3<sup>rd</sup> August, max. eight.  
1707 SMALL DUSTY WAVE  
Noted 28<sup>th</sup> June to 31<sup>st</sup> July and 27<sup>th</sup> August to 28<sup>th</sup> September, max. five.  
1708 SINGLE-DOTTED WAVE  
Noted 30<sup>th</sup> June to 8<sup>th</sup> August, max. nine.  
1713 RIBAND WAVE  
Noted 28<sup>th</sup> June to 9<sup>th</sup> August, max. seven, with one 26<sup>th</sup> September.  
1728 GARDEN CARPET  
Noted 24<sup>th</sup> May to 23<sup>rd</sup> August, max. three.  
1732 SHADED BROAD-BAR  
Noted 12<sup>th</sup> to 23<sup>rd</sup> July, max. two.  
1742 YELLOW SHELL  
Noted 24<sup>th</sup> June to 26<sup>th</sup> August.  
1745 THE MALLOW  
One 14<sup>th</sup> October.  
1758 BARRED STRAW  
Noted 2<sup>nd</sup> to 15<sup>th</sup> July, max. two,  
1765 BARRED YELLOW  
Singles noted 28<sup>th</sup> June to 9<sup>th</sup> July.  
1808 SANDY CARPET  
Noted 2<sup>nd</sup> to 28<sup>th</sup> June, max. four.  
1825 LIME-SPECK PUG  
Noted 8<sup>th</sup> June to 19<sup>th</sup> September, max two.  
1830 WORMWOOD PUG  
Singles 25<sup>th</sup> & 30<sup>th</sup> July.  
1832 CURRANT PUG  
One 30<sup>th</sup> August.  
1833 BLEACHED PUG  
One 27<sup>th</sup> July.  
1834 COMMON PUG  
Singles noted 1<sup>st</sup> to 14<sup>th</sup> June and again 1<sup>st</sup> July.  
1835 WHITE-SPOTTED PUG  
One 4<sup>th</sup> August.  
1840 SHADED PUG  
One 24<sup>th</sup> June.  
1842 PLAIN PUG  
Singles 23<sup>rd</sup> June and 4<sup>th</sup> July.  
1862 DOUBLE-STRIPED PUG  
Singles noted 29<sup>th</sup> April, 1<sup>st</sup> May, and again 13<sup>th</sup> July to 21<sup>st</sup> August.  
1867 TREBLE-BAR  
Noted 20<sup>th</sup> May to 16<sup>th</sup> July, max. ten and again 28<sup>th</sup> August to 6<sup>th</sup> October, max. nine.  
1884 THE MAGPIE  
Singles 29<sup>th</sup> June 3<sup>rd</sup> & 5<sup>th</sup> August.  
1887 CLOUDED BORDER  
One 22<sup>nd</sup> July.  
1894 LATTICED HEATH

Singles on 1<sup>st</sup> and 2<sup>nd</sup> June, 18<sup>th</sup> and 23<sup>rd</sup> July, 12<sup>th</sup>, 18<sup>th</sup> 19<sup>th</sup> and four 20<sup>th</sup> August.

1902 BROWN SILVER-LINE

Singles noted 10<sup>th</sup> and 12<sup>th</sup> May.

1906 BRIMSTONE MOTH

Singles 21<sup>st</sup> May and 14<sup>th</sup> June then noted 8<sup>th</sup> to 23<sup>rd</sup> August.

1917 EARLY THORN

Singles noted 19<sup>th</sup> April, 22<sup>nd</sup> July to 1<sup>st</sup> August and 15<sup>th</sup> September.

1919 PURPLE THORN

One 19<sup>th</sup> July.

1921 SCALLOPED OAK

Noted 16<sup>th</sup> July to 6<sup>th</sup> September, max. ten.

1922 SWALLOW-TAILED MOTH

Singles noted 10<sup>th</sup> and 12<sup>th</sup> July.

1931 PEPPERED MOTH

One 11<sup>th</sup> July.

1937 WILLOW BEAUTY

Noted 21<sup>st</sup> July to 23<sup>rd</sup> August, max three.

1958 CLOUDED SILVER

One 26<sup>th</sup> June.

1968 YELLOW BELLE

Noted 16<sup>th</sup> May to 5<sup>th</sup> July and again 11<sup>th</sup> August to 22<sup>nd</sup> September, max. nine.

1976 PRIVET HAWK-MOTH

One 9<sup>th</sup> June then noted 11<sup>th</sup> to 17<sup>th</sup> July, max. two.

1980 EYED HAWK-MOTH

One 1<sup>st</sup> July.

1981 POPLAR HAWK-MOTH

Noted 13<sup>th</sup> May to 9<sup>th</sup> June and again 29<sup>th</sup> June to 30<sup>th</sup> July, max. two.

1984 HUMMING-BIRD HAWK-MOTH

One 28<sup>th</sup> October.

1991 ELEPHANT HAWK-MOTH

One 28<sup>th</sup> June.

1995 PUSS MOTH

One 6<sup>th</sup> June.

2007 SWALLOW PROMINENT

One 30<sup>th</sup> April

2011 PALE PROMINENT

One 29<sup>th</sup> July.

2029 BROWN-TAIL

Noted 12<sup>th</sup> July to 14<sup>th</sup> August, max. 65.

2030 YELLOW-TAIL

One 19<sup>th</sup> July.

2047 SCARCE FOOTMAN

Noted 9<sup>th</sup> July, max. three.

2050 COMMON FOOTMAN

Noted 15<sup>th</sup> to 19<sup>th</sup> July to 3<sup>rd</sup> August, max. two.

2057 GARDEN TIGER

Noted 10<sup>th</sup> July to 15<sup>th</sup> August, max. seven.

2061 BUFF ERMINÉ

Singles noted 16<sup>th</sup> to 24<sup>th</sup> June.

2063 MUSLIN MOTH

Noted 10<sup>th</sup> May to 8<sup>th</sup> June.

2064 RUBY TIGER

Singles noted 25<sup>th</sup> to 31<sup>st</sup> July.

2069 THE CINNABAR

Noted 8<sup>th</sup> June to 9<sup>th</sup> July, max. two.

2081 WHITE-LINE DART

Noted 11<sup>th</sup> July to 30<sup>th</sup> September, max. 262 on 25<sup>th</sup> July.  
**2082 GARDEN DART**  
Singles 24<sup>th</sup> to 27<sup>th</sup> July, 3<sup>rd</sup> August with two 8<sup>th</sup> August.  
**2083 COAST DART**  
Singles 4<sup>th</sup> and 5<sup>th</sup> August.  
**2085 ARCHER'S DART**  
Noted 16<sup>th</sup> June to 22<sup>nd</sup> September, max. ten.  
**2087 TURNIP MOTH**  
Noted 30<sup>th</sup> May to 8<sup>th</sup> July, max. three with later in the year four 18<sup>th</sup> and two 23<sup>rd</sup> September and one 12<sup>th</sup> October.  
**2089 HEART AND DART**  
Noted 31<sup>st</sup> May to 18<sup>th</sup> July, max. 30 on 15<sup>th</sup> June.  
**2091 DARK SWORD-GRASS**  
Singles on 5<sup>th</sup> May, 14<sup>th</sup> August and 3<sup>rd</sup> September then from 14<sup>th</sup> September to 5<sup>th</sup> October a total of 38 noted with a max. of nine on 23<sup>rd</sup> September. Later singles then noted 21<sup>st</sup> October, 4<sup>th</sup> and 8<sup>th</sup> November. An excellent year for this migrant.  
**2092 SHUTTLE-SHAPED DART**  
Noted 2<sup>nd</sup> May to 3<sup>rd</sup> June, max. four and again 24<sup>th</sup> July to 24<sup>th</sup> August, max. three.  
**2102 FLAME SHOULDER**  
Noted 25<sup>th</sup> July to 21<sup>st</sup> August, max. one.  
**2107 LARGE YELLOW UNDERWING**  
Noted 17<sup>th</sup> June to 6<sup>th</sup> November, max. 24.  
**2108 LUNAR YELLOW UNDERWING**  
One 2<sup>nd</sup> July.  
**2109 LESSER YELLOW UNDERWING**  
Noted 1<sup>st</sup> July to 22<sup>nd</sup> October, max. 39 on 24<sup>th</sup> September.  
**2110 BROAD-BORDERED YELLOW UNDERWING**  
Singles 24<sup>th</sup> July and 3<sup>rd</sup> August.  
**2111 LESSER BROAD-BORDERED YELLOW UNDERWING**  
Noted 3<sup>rd</sup> to 25<sup>th</sup> August, max. two.  
**2112 LEAST YELLOW UNDERWING**  
Singles 28<sup>th</sup> July and 1<sup>st</sup> August.  
**2114 DOUBLE DART**  
One 28<sup>th</sup> June.  
**2123 SMALL SQUARE-SPOT**  
One 6<sup>th</sup> June then noted 1<sup>st</sup> August to 1<sup>st</sup> September, max. two.  
**2126 SETACEOUS HEBREW CHARACTER**  
Noted 3<sup>rd</sup> and 6<sup>th</sup> June, 3<sup>rd</sup> July and again 5<sup>th</sup> August to 29<sup>th</sup> September, max. ten.  
**2128 DOUBLE SQUARE-SPOT**  
One 17<sup>th</sup> July.  
**2134 SQUARE-SPOT RUSTIC**  
Noted 6<sup>th</sup> September to 30<sup>th</sup> September, max. ten.  
**2145 THE NUTMEG**  
Noted 18<sup>th</sup> June to 9<sup>th</sup> July, max. one.  
**2147 THE SHEARS**  
One 14<sup>th</sup> June.  
**2152 WHITE COLON**  
Noted 1<sup>st</sup> June to 2<sup>nd</sup> July, max. three.  
**2154 CABBAGE MOTH**  
Noted 12<sup>th</sup> July to 17<sup>th</sup> August and again 18<sup>th</sup> to 24<sup>th</sup> September, max. one.  
**2155 DOT MOTH**  
One 25<sup>th</sup> July.  
**2159 DOG'S TOOTH**  
Singles 12<sup>th</sup> June and 2<sup>nd</sup> July.

2160 BRIGHT-LINE BROWN-EYE  
Noted 15<sup>th</sup> June to 23<sup>rd</sup> July, 13<sup>th</sup> and 22<sup>nd</sup> August and again 5<sup>th</sup> to 27<sup>th</sup> September, max. four.

2166 CAMPION  
Singles 27<sup>th</sup> May, 11<sup>th</sup> and 16<sup>th</sup> June.

2167 TAWNY SHEARS  
Singles noted 33<sup>rd</sup> to 31<sup>st</sup> July.

2170 VARIED CORONET  
Singles 28<sup>th</sup> and 29<sup>th</sup> June.

2173 THE LYCHNIS  
Noted 17<sup>th</sup> June to 6<sup>th</sup> July, max. three.

2186 POWDERED QUAKER  
Singles 23<sup>rd</sup> and 29<sup>th</sup> April.

2190 HEBREW CHARACTER  
Noted 24<sup>th</sup> April to 13<sup>th</sup> May, max. three.

2192 BROWN-LINE BRIGHT-EYE  
Singles noted 19<sup>th</sup> to 21<sup>st</sup> July.

2193 THE CLAY  
Noted 2<sup>nd</sup> to 29<sup>th</sup> July, max. four, with one 24<sup>th</sup> September.

2198 SMOKY WAINSCOT  
Noted 17<sup>th</sup> June to 25<sup>th</sup> September, max. five.

2199 COMMON WAINSCOT  
Noted 1<sup>st</sup> to 9<sup>th</sup> July and 22<sup>nd</sup> August to 15<sup>th</sup> September, max. two.

2230 FEATHERED BRINDLE  
Noted 14<sup>th</sup> September to 10<sup>th</sup> October, max. 43.

2231 DEEP-BROWN DART  
One 26<sup>th</sup> September.

2255 FEATHERED RANUNCULUS  
Noted 22<sup>nd</sup> September to 15<sup>th</sup> October, max. two.

2259 DARK CHESTNUT  
Singles 15<sup>th</sup> and 21<sup>st</sup> October.

2262 THE BRICK  
Noted 22<sup>nd</sup> to 26<sup>th</sup> September, max. four.

2266 BROWN-SPOT PINION  
Singles 16<sup>th</sup> September and 1<sup>st</sup> October.

2267 BEADED CHESTNUT  
One 13<sup>th</sup> October.

2270 LUNAR UNDERWING  
Noted 16<sup>th</sup> September to 6<sup>th</sup> October, max. 11.

2278 POPLAR GREY  
Singles 17<sup>th</sup> June and 20<sup>th</sup> August.

2293 MARBLED BEAUTY  
Noted 9<sup>th</sup> July to 23<sup>rd</sup> August, max. ten.

2299 MOUSE MOTH  
Noted 19<sup>th</sup> July to 30<sup>th</sup> September, max. two.

2303 STRAW UNDERWING  
Noted 27<sup>th</sup> July to 28<sup>th</sup> August, max. 12.

2306 ANGLE SHADES  
Noted 22<sup>nd</sup> and 27<sup>th</sup> June and again 11<sup>th</sup> August to 7<sup>th</sup> November, max. four.

2318 THE DUN-BAR  
Noted 4<sup>th</sup> to 31<sup>st</sup> July, max. three

2321 DARK ARCHES  
Noted 23<sup>rd</sup> June to 3<sup>rd</sup> August, max. two.

2337 MARBLED MINOR  
Noted 17<sup>th</sup> June to 5<sup>th</sup> July, max. five.

2338 RUFOUS MINOR



Singles noted 20<sup>th</sup> to 25<sup>th</sup> June.  
2339 TAWNY MARBLED MINOR  
Singles noted 16<sup>th</sup> to 23<sup>rd</sup> June.  
2340 MIDDLE-BARRED MINOR  
One 18<sup>th</sup> June.  
2341 CLOAKED MINOR  
Noted 13<sup>th</sup> July to 23<sup>rd</sup> August, max. 40.  
2342 ROSY MINOR  
Noted 16<sup>th</sup> July to 9<sup>th</sup> August, max. five.  
2343 COMMON RUSTIC  
Noted 9<sup>th</sup> July to 30<sup>th</sup> August, max. seven.  
2352 DUSKY SALLOW  
Noted 16<sup>th</sup> to 30<sup>th</sup> July, max. two.  
2353 FLOUNCED RUSTIC  
Noted 3<sup>rd</sup> August to 27<sup>th</sup> September, max. 12.  
2361 ROSY RUSTIC  
One 15<sup>th</sup> September.  
2377 FEN WAINSCOT  
Noted 21<sup>st</sup> to 25<sup>th</sup> July max. two.  
2381 THE UNCERTAIN  
Noted 29<sup>th</sup> June to 9<sup>th</sup> August, max. ten.  
2382 THE RUSTIC  
Noted 14<sup>th</sup> July to 28<sup>th</sup> August, max. four.  
2384 VINE'S RUSTIC  
Noted 2<sup>nd</sup> June to 3<sup>rd</sup> July and again 7<sup>th</sup> August to 26<sup>th</sup> September, max. 43 on 23<sup>rd</sup> August.  
2387 MOTTLED RUSTIC  
Noted 13<sup>th</sup> June to 21<sup>st</sup> July, max. 14, with singles 22<sup>nd</sup> and 23<sup>rd</sup> September.  
2389 PALE MOTTLED WILLOW  
Singles 9<sup>th</sup> July and 23<sup>rd</sup> August.  
2399 BORDERED SALLOW  
Noted 14<sup>th</sup> June to 10<sup>th</sup> July, max. five.  
2441 SILVER Y  
Singles 8<sup>th</sup> and 16<sup>th</sup> May and 13<sup>th</sup> June then noted 3<sup>rd</sup> July to 4<sup>th</sup> November, max 40 on 2<sup>nd</sup> August.  
2450 THE SPECTACLE  
Noted 24<sup>th</sup> May to 16<sup>th</sup> July, max. three.  
2477 THE SNOOT  
Noted 9<sup>th</sup> July to 21<sup>st</sup> July, max. one.

Compiled by Nigel Odin,  
Landguard Bird Observatory,  
View Point Road,  
Felixstowe,  
Suffolk, IP11 3TW  
Tel: 01394 673782  
E.mail: landguardbo@yahoo.co.uk